



VRS 4.0 Scanner Certification and Performance List

Scanner	Driver	Category	Border Color	Supported Interfaces	Simplex Speed	Duplex Speed
Böwe Bell & Howell 730DC FB	ISIS	Workgroup	White	SCSI	15 ipm	8 ipm
Böwe Bell & Howell 8080SC	Kofax	Production	Black	SCSI	80 ipm	N/A
Böwe Bell & Howell 8080DC	Kofax	Production	Black	SCSI	80 ipm	160 ipm
Böwe Bell & Howell 8100DC	Kofax	Production	Black	SCSI	100 ipm	200 ipm
Böwe Bell & Howell 8125DC	Kofax	Production	Black	SCSI	125 ipm	250 ipm
Böwe Bell & Howell 8080SB	Kofax	Production	Black	SCSI	80 ipm	N/A
Böwe Bell & Howell 8080DB	Kofax	Production	Black	SCSI	80 ipm	160 ipm
Böwe Bell & Howell 8100DB	Kofax	Production	Black	SCSI	100 ipm	200 ipm
Böwe Bell & Howell 8125DB	Kofax	Production	Black	SCSI	125 ipm	250 ipm
Böwe Bell & Howell SideKick 1200 Ω	ISIS	OEM (4.00.100)	Black	SCSI, USB	24 ipm	42 ipm
Böwe Bell & Howell SideKick 1400 Ω	ISIS	OEM (4.00.100)	Black	SCSI, USB	42 ipm	75 ipm
Böwe Bell & Howell Trüper 3200 Ω	ISIS	OEM (4.00.100)	Black	SCSI, USB	60 ipm	106 ipm
Böwe Bell & Howell XF 8090-DCI/DC $2\blacksquare$	Kofax	Production	Black	SCSI	90 ipm	180 ipm
Böwe Bell & Howell XF 8090-DBI/DB $2\blacksquare$	Kofax	Production	Black	SCSI	90 ipm	180 ipm
Böwe Bell & Howell XF 8090-SC $2\blacksquare$	Kofax	Production	Black	SCSI	90 ipm	N/A
Böwe Bell & Howell XF 8090-SB $2\blacksquare$	Kofax	Production	Black	SCSI	90 ipm	N/A
Böwe Bell & Howell XF 8120-DCI/DC $2\blacksquare$	Kofax	Production	Black	SCSI	120 ipm	240 ipm
Böwe Bell & Howell XF 8120-DBI/DB $2\blacksquare$	Kofax	Production	Black	SCSI	120 ipm	240 ipm
Böwe Bell & Howell XF 8140-DCI $2\blacksquare$	Kofax	Production	Black	SCSI	140 ipm	280 ipm
Böwe Bell & Howell XF 8140-DBI $2\blacksquare$	Kofax	Production	Black	SCSI	140 ipm	280 ipm
Canon DR-2080C	ISIS	Desktop	Black	SCSI, USB	21 ipm	43 ipm
Canon DR-2580C \star	ISIS	Desktop	Black	USB	23 ipm	46 ipm
Canon DR-3060	ISIS	Workgroup	Black	SCSI	32 ipm	64 ipm
Canon DR-3080C	ISIS	Workgroup	Black	SCSI	32 ipm	64 ipm
Canon DR-3080CII \star	ISIS	Workgroup	Black	SCSI, USB	32 ipm	64 ipm



VRS 4.0 Scanner Certification and Performance List

Scanner	Driver	Category	Border Color	Supported Interfaces	Simplex Speed	Duplex Speed
Canon DR-5010C ★	ISIS	Workgroup	Black	SCSI, USB	57 ipm	94 ipm
Canon DR-6080	ISIS	Workgroup	Black	SCSI, USB	66 ipm	92 ipm
Canon DR-7080C	ISIS	Workgroup	Black	SCSI, USB	73 ipm	39 ipm
Canon DR-7580 ★■	ISIS	Workgroup	Black	SCSI, USB	75 ipm	150 ipm
Canon DR-9080C ■	ISIS	Production	Black	SCSI, USB	88 ipm	108 ipm
Epson GT 30000	ISIS	Workgroup	White	SCSI	33 ipm	22 ipm
Fujitsu fi-4010CU	TWAIN	Desktop	White	USB	10 ipm	N/A
Fujitsu fi-4120C	ISIS	Desktop	White	SCSI, USB	28 ipm (SCSI) 15 ipm (USB)	28 ipm (SCSI) 15 ipm (USB)
Fujitsu fi-4120C2	ISIS	Desktop	Black	SCSI, USB	26 ppm	52 ipm
Fujitsu fi-4220C	ISIS	Desktop	White	SCSI, USB	28 ipm (SCSI) 15 ipm (USB)	28 ipm (SCSI) 15 ipm (USB)
Fujitsu fi-4220C2	ISIS	Desktop	Black	SCSI, USB	26 ppm	52 ipm
Fujitsu fi-4340C	ISIS	Workgroup	Black	SCSI, USB	40 ipm	60 ipm
Fujitsu fi-4530C	ISIS	Workgroup	Black	SCSI, USB	35 ipm	35 ipm
Fujitsu fi-4640S	ISIS	Workgroup	Black	SCSI	44 ipm	N/A
Fujitsu fi-4750C (Software Only)	ISIS	Workgroup	Black	SCSI	50 ipm	54 ipm
Fujitsu fi-4750C (GSA Hardware Assisted)	Kofax	Production	Black	SCSI	50 ipm	90 ipm
Fujitsu fi-4750L	Kofax	Production	Black	SCSI	55 ipm	100 ipm
Fujitsu fi-4860C	Kofax	Production	Black	SCSI	63 ipm	125 ipm
Fujitsu fi-4990C	Kofax	Production	Black	SCSI	90 ipm	180 ipm
Fujitsu fi-5110C	ISIS	Desktop	White	USB	17 ipm	35 ipm
Fujitsu fi-5120C ★	ISIS	Desktop	Black	SCSI, USB	25 ppm	50 ipm
Fujitsu fi-5220C ★	ISIS	Desktop	Black	SCSI, USB	25 ppm	50 ipm
Fujitsu fi-5530C ★	ISIS	Workgroup	Black	SCSI, USB	35 ipm	70 ipm
Fujitsu fi-5650C	ISIS	Workgroup	Black	SCSI, USB	56 ipm	108 ipm



VRS 4.0 Scanner Certification and Performance List

Scanner	Driver	Category	Border Color	Supported Interfaces	Simplex Speed	Duplex Speed
Fujitsu fi-5750C	ISIS	Workgroup	Black	SCSI, USB	56 ipm	108 ipm
Fujitsu fi-60F ★	ISIS	Desktop	Black	USB	n/a	n/a
Fujitsu M4097D	Kofax	Production	Black	SCSI	50 ipm	90 ipm
Fujitsu M4099D	Kofax	Production	Black	SCSI	90 ipm	180 ipm
HP ScanJet 8290C Ω	ISIS	OEM (3.02)	White	SCSI, USB	25 ipm	6 ipm
InoTec SCAMAX 401 ★✳	ISIS	Production	Black	SCSI	UNK	UNK
InoTec SCAMAX 410 ★✳	ISIS	Production	Black	SCSI	UNK	UNK
InoTec SCAMAX 411 ★■	ISIS	Production	Black	SCSI	90 ipm	158 ipm
InoTec SCAMAX 421 ★✳	ISIS	Production	Black	SCSI	UNK	UNK
Kodak i30	ISIS	Desktop	White	USB	28 ipm	N/A
Kodak i40	ISIS	Desktop	White	USB	28 ipm	48 ipm
Kodak i50	ISIS	Desktop	White	SCSI	12 ipm	N/A
Kodak i55 ★	ISIS	Desktop	White	SCSI, USB	38 ipm	N/A
Kodak i60	ISIS	Desktop	White	SCSI	18 ipm	25 ipm
Kodak i65 ★	ISIS	Desktop	White	SCSI, USB	38 ipm	78 ipm
Kodak i80	ISIS	Workgroup	Black	SCSI	29 ipm	39 ipm
Kodak i150 ★	ISIS	Workgroup	Black	Firewire	41 ipm	N/A
Kodak i160 ★	ISIS	Workgroup	Black	Firewire	41 ipm	80 ipm
Kodak i250	ISIS	Workgroup	Black	Firewire	50 ipm	N/A
Kodak i260	ISIS	Workgroup	Black	Firewire	50 ipm	100 ipm
Kodak i280 ■	ISIS	Workgroup	Black	Firewire	62 ipm	124 ipm
Kodak i610 ■ ¹	TWAIN	Production	Black	Firewire	80 ipm	160 ipm
Kodak i620 ■	TWAIN	Production	Black	Firewire	80 ipm	160 ipm
Kodak i640 ■	TWAIN	Production	Black	Firewire	100 ipm	200 ipm
Kodak i660 ■	TWAIN	Production	Black	Firewire	120 ipm	240 ipm
Panasonic KV-S2025C	ISIS	Workgroup	Black	SCSI	24 ipm	42 ipm
Panasonic KV-S2026C	ISIS	Workgroup	Black	SCSI, USB	24 ipm	42 ipm



VRS 4.0 Scanner Certification and Performance List

Scanner	Driver	Category	Border Color	Supported Interfaces	Simplex Speed	Duplex Speed
Panasonic KV-S2045C	ISIS	Workgroup	Black	SCSI	42 ipm	75 ipm
Panasonic KV-S2046C	ISIS	Workgroup	Black	SCSI, USB	42 ipm	75 ipm
Panasonic KV-S2065W	ISIS	Workgroup	Black	SCSI	64 ipm	72 ipm
Panasonic KV-S3065C	ISIS	Workgroup	Black	SCSI, USB	65 ipm	112 ipm
Panasonic KV-S3085 ★■	ISIS	Production	Black	SCSI, USB	90 ipm	160 ipm
Panasonic KV-S3105C ★■	ISIS	Production	Black	SCSI, USB	108 ipm	183 ipm
Panasonic KV-S6050W	ISIS	Workgroup	Black	SCSI	59 ipm	N/A
Panasonic KV-S6055W	ISIS	Workgroup	Black	SCSI	63 ipm	66 ipm
Panasonic KV-S7065C	ISIS	Workgroup	Black	SCSI, USB	58 ipm	112 ipm
Ricoh IS-01	ISIS	Workgroup	Black	SCSI	12 ipm	N/A
Ricoh IS-330	ISIS	Workgroup	White	SCSI	15 ipm	8 ipm
Ricoh IS-760 ★	ISIS	Workgroup	White	SCSI, USB	74 ipm	112 ipm
Visioneer 9650 USB	ISIS	Desktop	White	USB	9 ipm	N/A
Visioneer 9650i	ISIS	Desktop	White	USB	9 ipm	N/A
Visioneer Strobe XP200 Ω	ISIS	OEM (4.0)	Black	USB	6 ipm	N/A
Xerox DocuMate 250 Ω	ISIS	OEM (4.0)	White	USB	18 ipm	N/A
Xerox DocuMate 252 Ω	ISIS	OEM (4.0)	White	USB	25 ipm	37 ipm
Xerox DocuMate 262 Ω	ISIS	OEM (4.0)	White	USB	28 ipm	46 ipm
Xerox DocuMate 272 Ω	ISIS	OEM (4.0)	White	USB	29 ipm	49 ipm
Xerox DocuMate 520 Ω	ISIS	OEM (4.0)	White	USB	18 ipm	N/A



VRS 4.0 Scanner Certification and Performance List

Notes:

- ✚ Unless otherwise indicated throughput tests were performed with the following configuration:
 - P-IV 1.4 GHz with 512MB RAM
 - 200 DPI
 - Black & White
 - Duplex (if available)
 - Letter size
 - Landscape & 90/270 Rotation (if available)
 - Prescans = 6
 - Interface: Kofax Adrenaline 450, 650, 650i, USB, or Firewire
- ✚ **N/A** – Not Applicable
- ✚ **UNK** – Unknown. The information could not be determined at time of certification.
- ✚ ■ – The throughput for these scanners were obtained using the following configuration:
 - P-IV 2.8 GHz with 512 MB RAM
 - 200 DPI
 - Black & White
 - Letter Size
 - Landscape Orientation
 - Prescans = 6
- ✚ **Ω** – These scanners ship with an OEM version of VRS. No additional purchase is required. The version of VRS included with the scanner is indicated in the Category column. Any OEM VRS version 3.x or higher is functionally equivalent to VRS 3.5.
- ✚ ***** – These scanners are configured for VRS using a Component Install available at http://www.kofax.com/support/IP/VRS/4.0/downloads_patches.asp. You must still purchase the correct VRS Plus license, install VRS and select the “I will configure...” option during installation. The Component Install can then be downloaded and installed.
- ✚ **✖** - The throughput for these InoTec SCAMAX scanners could not be obtained because the specific model was not available. However, because these models are very similar to the SCAMAX 411 they are listed as certified.
- ✚ **¹** - The Kodak i610 was certified with the SP1 update of VRS 4.0. Users who have this scanner must install VRS 4.0, select the “Kodak i600 Series” from the list of scanners, and then select the “Check for Updates” option. Existing VRS 4.0 users should select the “Check for Update” option in the Kofax VRS folder in Start | Programs. Once SP1 is installed existing VRS 4.0 users can configure VRS for the Kodak i610 by installing and using the Restore Default Values (RDV) utility. Refer to the VRS Users Manual for information on using RDV.
- ✚ **²** - The Böwe Bell & Howell XF Spectrum scanners are configured with VRS by selecting either the “Bell & Howell 8000 B/C” or “Bell & Howell 8000 B/C (non-interactive mode)” from the list of scanners when installing VRS. When an XF model is connected, VRS will automatically detect it and provide support for it.